



<b>ROTOGRAVURE MACHINE</b>	
<b>Réf N° 99</b>	
Manufacturer	<b>ROTOMECC</b>
Type	<b>RS 4003</b>
Model	<b>1000 / 250 / C</b>
Year	<b>2006/7</b>
Serial N°	
<b>Technical Datas</b>	
Numbers of colours	<b>2</b>
Printing possibility	<b>2</b>
Web width	<b>500 mm - 1050 mm</b>
Printing width mini-maxi	<b>450 mm - 1000 mm</b>
Printing repeat mini maxi	<b>450 mm - 920 mm</b>
Unwind reel diameter	<b>1000 mm</b>
Rewind reel diameter	<b>1000 mm</b>
Speed (mechanical /Production)	<b>250 m/min</b>
Electricity	
Products to be printed	<b>Flexible film materials, mainly for ALU Foil</b>
<b>Machine description</b>	
Unwind	Simplex shaftless, chucks 70-150 mm, tension range 3,5daN mini , 35 daN maxi, infeed unit motorized CA, dancing roller (low inertia)
Rewind	Simplex shaftless, chucks 70/150 mm, out feed unit motorized CA, dancing roller,
Printing unit	2 units – printing possibility only recto, machine with cylinder trolleys –serial 4000-3.Printing unit with independent motor CA, sleeves for pressure roller,
Longitudinal register	no
Side register	Motorized with +/- 12,5 mm stroke (slo-syn motor)
Drive system	Independent motor per unit
Web guide	Integrated with shaftless unwind,
Dryer system	Drying thermal oil (oil temperature 230 ° C) - Drying temp.maxi 140 °C, air velocity 35 m/s drying length 2200 mm, ,10 nozzles per unit, 67Nm <sup>3</sup> /min ,
Web inspection	
Ink pumps	Pneumatic pumps,
Viscosimeter	
Printing plates cylinders or sleeves	Some set of pressure sleeves available
Others equipments	ISOFL0 system from rotomecc for viscosity control, 4 rotogravure trolleys,
Others	Infrared LEL control system, electrical cabinet, anti static bars,



<b>Sales conditions</b>	
Price « as is »	
Offer validity	Machine available <b>but subject to prior sales</b>
Availability	Now
Terms of sale	Second hand equipment 100% before dismantling by L/C open in our favour in our bank
Dismantling	Not included
Transport	Not included
Erection	Not included
warranty	NO
location	Europe



